

(43) International Publication Date 19 July 2001 (19.07.2001)

PCT

(10) International Publication Number WO 01/51073 A2

(51) International Patent Classification7:

A61K 38/00

(21) International Application Number:

PCT/US01/00913

(22) International Filing Date: 12 January 2001 (12.01.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

09/482,992 09/752,731

14 January 2000 (14.01.2000) US


3 January 2001 (03.01.2001)

(71) Applicant (for all designated States except US): NEW HORIZONS DIAGNOSTICS, CORPORATION [US/US]; 9110 Red Branch Road, Columbia, MD 21045-2014 (US).

- (72) Inventors; and
- (75) Inventors/Applicants (for US only): FISCHETTI, Vincent [US/US]; 448 Joan Court, West Hempstead, NY 11552 (US). LOOMIS, Lawrence [US/US]; 11374 Buckeberry Path, Columbia, MD 21044 (US).
- (74) Agent: BENT, Stephen, A.; Foley & Larder, 3000 K Street, N.W., Suite 500, Washington, DC 20007-5109 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian

[Continued on next page]

(54) Title: THE PARENTERAL USE OF BACTERIAL PHAGE ASSOCIATED LYSING ENZYMES FOR THE THERAPEUTIC TREATMENT OF BACTERIAL INFECTIONS



(57) Abstract: The present invention discloses a method and composition for the treatment of bacterial infections by the parenteral introduction of a therapeutic agent comprising an effective amount of at least one lytic enzyme produced by a bacteria infected with a bacteriophage specific for said bacteria wherein the lytic enzyme is selected from the group consisting of lytic enzymes, and modified lytic enzymes such as shuffled lytic enzymes, chimeric lytic enzymes, and combinations thereof, wherein said lytic enzyme is in an appropriate carrier for delivering the lytic enzyme into a patient. The therapeutic agent may additionally include a holin enzyme, which may be a shuffled holin enzyme or a chimeric holin enzyme. The injection can be done intramuscularly, subcutaneously, or intravenously.

WO 01/51073 A2



patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FL, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

 without international search report and to be republished upon receipt of that report ・ (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 19 July 2001 (19.07.2001)

PCT

(10) International Publication Number WO 01/51073 A3

(51) International Patent Classification7: A61K 38/46

(21) International Application Number: PCT/US01/00913

(22) International Filing Date: 12 January 2001 (12.01.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

09/482,992 09/752,731 14 January 2000 (14.01.2000) US 3 January 2001 (03.01.2001) US

(71) Applicant (for all designated States except US): NEW HORIZONS DIAGNOSTICS, CORPORATION [US/US]; 9110 Red Branch Road, Columbia, MD 21045-2014 (US).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): FISCHETTI. Vincent [US/US]; 448 Joan Court, West Hempstead, NY 11552 (US). LOOMIS, Lawrence [US/US]; 11374 Buckeberry Path, Columbia, MD 21044 (US).
- (74) Agent: BENT, Stephen, A.: Foley & Larder. 3000 K Street, N.W., Suite 500, Washington, DC 20007-5109 (US).

- (81) Designated States (national): AE. AG. AL., AM., AT. AU. AZ. BA. BB. BG. BR. BY. BZ. CA. CH. CN. CR. CU. CZ. DE. DK. DM. DZ. EE. ES. FI. GB. GD. GE. GH. GM. HR. HU. ID. IL. IN. IS. JP. KE. KG. KP. KR. KZ. LC. LK. LR. LS. LT. LU. LV. MA, MD. MG. MK. MN. MW, MX. MZ. NO. NZ. PL. PT. RO. RU. SD. SE, SG. SI. SK. SL. TJ. TM. TR. TT. TZ. UA. UG. US. UZ. VN. YU. ZA. ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

(88) Date of publication of the international search report: 20 December 2001

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

V

(54) Title: THE PARENTERAL USE OF BACTERIAL PHAGE ASSOCIATED LYSING ENZYMES FOR THE THERAPEUTIC TREATMENT OF BACTERIAL INFECTIONS

(57) Abstract: The present invention discloses a method and composition for the treatment of bacterial infections by the parenteral introduction of a therapeutic agent comprising an effective amount of at least one lytic enzyme produced by a bacteria infected with a bacteriophage specific for said bacteria wherein the lytic enzyme is selected from the group consisting of lytic enzymes, and modified lytic enzymes such as shuffled lytic enzymes, chimeric lytic enzymes, and combinations thereof, wherein said lytic enzyme is in an appropriate carrier for delivering the lytic enzyme into a patient. The therapeutic agent may additionally include a holin enzyme, which may be a shuffled holin enzyme or a chimeric holin enzyme. The injection can be done intramuscularly, subcutaneously, or intravenously.

What we claim is:

- A method for the treatment of bacterial infections, comprising:

 administering parenterally an effective amount of a therapeutic agent, said
 therapeutic agent comprising at least one enzyme produced by a bacteria
 infected with a bacteriophage specific for said bacteria, wherein said at least
 one enzyme is selected from the group consisting of lytic enzymes, modified
 lytic enzymes, and combinations thereof; and
 a carrier for delivering said lytic enzyme to the site of the infection.
- 2) The method according to claim 1, wherein said modified lytic enzymes are selected from the group consisting of chimeric lytic enzymes, shuffled lytic enzymes, and combinations thereof.
- 3) The method according to claim 1, further comprising at least one holin enzyme.
- 4) The method according to claim 3, wherein said at least one holin enzyme is a shuffled enzyme.
- 5) The method according to claim 3, wherein said at least one holin enzyme is a chimeric enzyme.
- The method according to claim 1, wherein the at least one enzyme is for the treatment of *Pseudomonas*.

7) The method according to claim 1, wherein the at least one enzyme is for the treatment of *Streptococcus*

- 8) The method according to claim 1, wherein the at least one enzyme is for the treatment of Staphylococcus.
- 9) The method according to claim 1, wherein the at least one enzyme is for the treatment of *Clostridium*.
- 10) The method according to claim 1, wherein said composition further comprises a buffer that maintains pH of the composition at a range between about 4.0 and about 9.0.
- 11) The method according to claim 10, wherein the buffer maintains the pH of the composition at the range between about 5.5 and about 7.5.
- 12) The method according to claim 10, wherein said buffer comprises a reducing reagent.
- 13) The method according to claim12, wherein said reducing reagent is dithiothreitol.
- 14) The method according to claim 10, wherein said buffer comprises a metal chelating reagent.
- 15) The method according to claim 14, wherein said metal chelating reagent is ethylenediaminetetracetic disodium salt.

16) The method according to claim 10, wherein said buffer is a citrate-phosphate buffer.

- 17) The method according to claim 1, further comprising a bactericidal or bacteriostatic agent as a preservative.
- 18) The method according to claim 1, wherein said at least one lytic enzyme is lyophilized.
- 19) The method according claim 1, further comprising administering a concentration of about 100 to about 500,000 active enzyme units per milliliter of fluid in the wet environment of the nasal or oral passages.
- 20) The method according to claim 19, further comprising administering the concentration of about 100 to about 10,000 active enzyme units per milliliter of fluid in the wet environment of the nasal or oral passages.
- 21) The method according to claim 1, wherein said therapeutic agent is administered intravenously.
- 22) The method according to claim 1, wherein said therapeutic agent is administered intramuscularly.
- 23) The method according to claim 1, wherein said therapeutic agent is administered subcutaneously.
- 24) The method according to claim 1, wherein the therapeutic agent further comprises at least one complementary agent which potentiates the

bactericidal activity of the lysine enzyme, said complementary agent being selected from the group consisting of penicillin, synthetic penicillins bacitracin, methicillin, cephalosporin, polymyxin, cefaclor. Cefadroxil, cefamandole nafate, cefazolin, cefixime, cefmetazole, cefonioid, cefoperazone, ceforanide, cefotanme, cefotaxime, cefotetan, cefoxitin, cefpodoxime proxetil, ceftazidime, ceftizoxime, ceftriaxone, cefriaxone moxalactam, cefuroxime, cephalexin, cephalosporin C, cephalosporin C sodium salt, cephalothin, cephalothin sodium salt, cephapirin, cephradine, cefuroximeaxetil, dihydratecephalothin, moxalactam, loracarbef. mafate and chelating agents in an amount effective to synergistically enhance the therapeutic effect of the lysin enzyme.

- 25) The method according to claim 1, wherein said carrier comprises of distilled water, a saline solution, albumin, a serum, and any combinations thereof.
- 26) The method according to claim 1, wherein said carrier further comprises preservatives.
- 27) The method according to claim 26, wherein said preservatives comprise p-hydroxybenzoates.
- The method according to claim 1, wherein said carrier comprises an isotonic solution for an injection, said isotonic solution comprising a compound selected from group consisting of sodium chloride, dextrose, mannitol, sorbitol, lactose, phosphate buffered saline, gelatin, albumin, a vasoconstriction agent and combination.

29) The method according to claim 28, wherein said further carrier further comprises DMSO.

- 30) The method according to claim 1, wherein said method is for the prophylactic treatment of infections.
- The method according to claim 1, wherein said method is for the therapeutic treatment of infections.
- 32) The method according to claim 1, further comprising at least one enzyme which is not selected from the group consisting of at least one shuffled lytic enzyme, at least one chimeric lytic enzyme, and at least one holin lytic enzyme.
- A composition for the treatment of bacterial infections, comprising:

 a therapeutic agent comprising an effective amount of at least one enzyme produced by a bacteria infected with a bacteriophage specific for said bacteria and a carrier for the parental delivery of said lytic enzyme to the site of the infection, wherein said at least one enzyme is selected from the group consisting of lytic enzymes, shuffled lytic enzymes, chimeric lytic enzymes, and combinations thereof; and
- a carrier for parenterally delivering said lytic enzyme to the site of the infection.
- The composition according to claim 33, further comprising at least one holin enzyme.

The composition according to claim 34, wherein said at least one holin enzyme is a chimeric enzyme.

- The composition according to claim 34, wherein said at least one holin enzyme is a shuffled enzyme.
- 37) The composition according to claim 33, wherein the at least one enzyme is for the treatment of *Pseudomonas*.
- 38) The composition according to claim 33, wherein the at least one enzyme is for the treatment of *Streptococcus*
- 39) The composition according to claim 33, wherein the at least one enzyme is for the treatment of *Staphylococcus*.
- 40) The composition according to claim 33, wherein the at least one enzyme is for the treatment of *Clostridium*.
- 41) The composition according to claim 33, wherein said composition further comprises a buffer that maintains pH of the composition at a range between about 4.0 and about 9.0.
- The composition according to claim 41, wherein the buffer maintains the pH of the composition at the range between about 5.5 and about 7.5.
- 43) The composition according to claim 41, wherein said buffer comprises a reducing reagent.

44) The composition according to claim 43, wherein said reducing reagent is dithiothreitol.

- The composition according to claim 41, wherein said buffer comprises a metal chelating reagent.
- The composition according to claim 45, wherein said metal chelating reagent is ethylenediaminetetracetic disodium salt.
- 47) The composition according to claim 41, wherein said buffer is a citrate-phosphate buffer.
- 48) The composition according to claim 33, further comprising a bactericidal or bacteriostatic agent as a preservative.
- 49) The composition according to claim 33, wherein said at least one enzyme is lyophilized.
- The composition according claim 33, further comprising a concentration of about 100 to about 500,000 active enzyme units per milliliter of fluid in the wet environment of the nasal or oral passages.
- 51) The composition according to claim 50, further comprising the concentration of about 1000 to about 100,000 active enzyme units per milliliter of fluid in the wet environment of the nasal or oral passages.
- 52) The composition according to claim 33, wherein said therapeutic agent is administered intravenously.

The composition according to claim 33, wherein said therapeutic agent is administered intramuscularly.

- 54) The method according to claim 34, wherein said therapeutic agent is administered subcutaneously.
- 55) The composition according to claim 33, wherein the therapeutic agent further comprises at least one complementary agent which potentiates the bactericidal activity of the enzyme, said complementary agent being selected from the group consisting of penicillin, synthetic penicillins bacitracin, methicillin, cephalosporin, polymyxin, cefaclor. Cefadroxil, cefamandole nafate, cefazolin, cefixime, cefmetazole, cefonioid, cefoperazone, ceforanide, cefotanme. cefotaxime, cefotetan, cefoxitin, cefpodoxime proxetil, cestazidime, cestizoxime, cestriaxone, cestizoxime, cesti cephalexin, cephalosporin C, cephalosporin C sodium salt, cephalothin, cephalothin sodium salt, cephapirin, cephradine, cefuroximeaxetil, dihydratecephalothin, moxalactam, loracarbef. mafate and chelating agents in an amount effective to synergistically enhance the therapeutic effect of the lysin enzyme.
- The composition according to claim 33, wherein said carrier comprises of distilled water, a saline solution, albumin, a serum, and any combinations thereof.
- 57) The composition according to claim 33, wherein said carrier further comprises preservatives.

58) The composition according to claim 57, wherein said preservatives comprise p-hydroxybenzoates.

- 59) The composition according to claim 33, wherein said carrier comprises an isotonic solution for an injection, said isotonic solution comprising a compound selected from group consisting of sodium chloride, dextrose, mannitol, sorbitol, lactose, phosphate buffered saline, gelatin, albumin, a vasoconstriction agent and combinations.
- 60) The composition according to claim 33, wherein said carrier further comprises DMSO.
- The method according to claim 33, wherein said therapeutic agent is for the therapeutic treatment of infections.
- 62) The method according to claim 33, wherein said therapeutic agent is for the prophylactic treatment of infections.

PATENT COOPERATION TREATY

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference 32876/119		of Transmittal of International Search Report 20) as well as, where applicable, item 5 below.
International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)
PCT/US 01/00913	12/01/2001	14/01/2000
Applicant		
NEW HORIZONS DIAGNOSTICS,	CORPORATION et al.	
This International Search Report has bee according to Article 18. A copy is being tr	n prepared by this International Searching Auth ansmitted to the International Bureau.	nority and is transmitted to the applicant
This International Search Report consists It is also accompanied by	of a total of sheets. a copy of each prior art document cited in this	report.
	international search was carried out on the bar less otherwise indicated under this item.	sis of the international application in the
the international search v Authority (Rute 23.1(b)).	vas carried out on the basis of a translation of t	he international application turnished to this
b. With regard to any nucleotide ar was carried out on the basis of th		nternational application, the international search
filed together with the inte	ernational application in computer readable for	n.
1 📙	this Authority in written form.	
	o this Authority in computer readble form.	
	bsequently furnished written sequence listing d as filed has been furnished.	ices not go beyond the disclosure in the
the statement that the infi furnished	ormation recorded in computer readable torm i	s identical to the written sequence listing has been
2. X Certain claims were fou	nd unsearchable (See Box I).	
3. Unity of invention is lac	king (see Box II).	
4. With regard to the title,		
X the text is approved as su	ibmitted by the applicant.	
the text has been establis	shed by this Authority to read as follows:	
5. With regard to the abstract,		
the text is approved as su the text has been establis within one month from the	ibmitted by the applicant. thed, according to Rule 38.2(b), by this Authori adate of mailing of this international search rep	ty as it appears in Box III. The applicant may, bort, submit comments to this Authority.
6. The figure of the drawings to be publications.	ished with the abstract is Figure No.	
as suggested by the appli	cant.	None of the figures.
because the applicant fail		
because this figure better	characterizes the invention.	

A. CLASSIFICATION OF SUBJECT MATTER 1PC 7 A61K38/46

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, MEDLINE, BIOSIS, CHEM ABS Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category ^c	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 510 907 A (AGRICULTURAL & FOOD RES) 28 October 1992 (1992-10-28) page 2, line 1 -page 3, line 5	1,6, 8-20, 25-27, 30,31, 33,37, 39-51, 56-58, 60-62
	page 3, line 4 - line 6; claim 1/	

	LX	Furner documents are listed in the communion of box C.
_		The state of the s

Patent family members are listed in annex.

- Special categories of cited documents:
- *A* document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document reterring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed
- "I" later document published after the international filing date or phorny date and not in conflict with the application but cited to understand the principle or theory underlying the invention.
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* occurrent of particular relevance; the claimed invention cannot be considered to involve an inventive step when the occurrent is combined with one or more other, such docunients, such combination being obvious to a person skilled in the an.
- *&* document member of the same patent family

Date of the actual completion of the international search

Date of mailing of the international search

28 June 2001

12/07/2001

Authorized officer

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl.

Charles, D

Fax: (+31-70) 340-3016

1

	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	I Boloves
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Х	WO 97 02351 A (CIBA GEIGY AG ;UNIV CAMBRIDGE TECH (GB); LUZIO JOHN PAUL (GB); BRY) 23 January 1997 (1997-01-23)	1,10-23, 25-31, 33, 41-54, 56-62
	<pre>page 1, paragraph 1; claims 1,22 page 2, paragraph 1 page 5, paragraph 3 page 7, paragraph 2</pre>	
X	WO 36 07329 A (UNIV MARYLAND) 14 March 1996 (1996-03-14)	1,10-20, 25-27, 33, 41-51, 56-58, 61,62
	<pre>page 1, line 2 - line 8; claims 1,19,20,55 page 7, line 28 -page 8, line 6 page 10, line 29 -page 11, line 7</pre>	
Х,Р	US 6 056 954 A (FISCHETTI VINCENT A ET AL) 2 May 2000 (2000-05-02) cited in the application	1,6,8, 10-23, 25-31, 33,37, 39, 41-54, 56-62
	column 1, line 13 - line 16; claims 1-9 column 2, line 35 - line 41 column 3, line 5 - line 34 column 3, line 47 - line 60	
X,P	US 6 056 955 A (FISCHETTI VINCENT ET AL) 2 May 2000 (2000-05-02) cited in the application	1,8, 10-23, 25-31, 33,39, 41-54, 56-62
	column 1, line 6 - line 9; claims 1,16,22 column 3, line 41 -column 4, line 9	
A	WO 99 04809 A (AMBI INC) 4 February 1999 (1999-02-04) page 1, line 11 - line 27; claims 1,19 page 4, line 2 -page 5, line 1 page 5, line 29 - line 32	1-62
	-/	

1

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT Category * Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. DATABASE MEDLINE 'Online! Α 1,8 US NATIONAL LIBRARY OF MEDICINE (NLM), BETHESDA, MD, US; BABENKO IU S ET AL: "'Enzymatic lysis of staphylococci in relation to their species and strain properties!. Fermentativnyi lizis stafilokokkov v zavisimosil ot ikh vidovykh i shtammovykh osobemu mei. retrieved from STN Database accession no. 90297672 XP002170795 abstract & ANTIBIOTIKI I KHIMIOTERAPIIA, (1990 MAR) 35 (3) 20-2.

1

International application No. PCT/US 01/00913

INTERNATIONAL SEARCH REPORT

Box I	Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This Inte	rnational Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
2.	Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely: Although claims 1-32 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition. Claims Nos.: Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
	Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II	Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This Inter	rnational Searching Authority found multiple inventions in this international application, as follows:
	As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2.	As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
	As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
	No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark o	The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.

Patent documer cited in search rep		Publication date		Patent tamily member(s)	Publication date
EP 0510907	A	28-10-1992	GB	2255561 A	11-11-1992
			AU	650737 B	30-06-1994
			AU	1502392 A	22-10-1992
			CA	2066387 A	21-10-1992
			US	6083684 A	04-07-2000
			US	5763251 A	09-06-1998
WO 9702351	Α	23-01-1997	AU	71818 4 B	06-04-2000
			AU	6311696 A	05-02-1997
8 80:			CA	2226258 A	23-01-1997
Market and a	2 1446 18		CN	1191572 A	26-08-1998
The state of the s	ide ii	AVA TES	CZ	9704213 A	15-04-1998
_	12 De 4 1	MAN 127	ΕP	08422 84 A	20-05-1998
		a contract	HU	9900323 A	28-05-1999
			JP	11509728 T	31-08-1999
			NO	980021 A	02-03-1998
			SK	1398 A	16-05-2000
WO 9607329	Α	14-03-1996	CA	2199478 A	14-03-1996
			EP	0776163 A	04-06-1997
US 6056954	Α	02-05-2000	US	5997862 A	07-12-1999
			WO	0119385 A	22-03-2001
			US	6238661 B	29-05-2001
			US	6017528 A	25-01-2000
			US	5985271 A	16-11-1999
US 6056955	A	02-05-2000	WO	0119391 A	22-03-2001
WO 99048 09	Α	04-02-1999	AU	85095 98 A	16-02-1999
			BR	9811535 A	29-08-2000
			CN	126 9727 T	11-10-2000
			EP	1001804 A	24-05-2000
			HU	0002662 A	28-12-2000
		•	NO	20000314 A	16-03-2000
			PL	338178 A	09-10-2000
			US	6028051 A	22-02-2000
			ZA	98065 93 A	04-02-1999